



Human Computer Interaction using Hand Gesture Recognition

C.Selvarathi¹, P.Indu², B. Kavyadharshini³, S. Logesh Kumar⁴, R. Mohamed Yasher⁵

¹Department of CSE, M.Kumarasamy College of Engineering, Karur, India, selvarathic.cse@mkce.ac.in

²Department of CSE, M.Kumarasamy College of Engineering, Karur, India, indu270699@gmail.com

³Department of CSE, M.Kumarasamy College of Engineering, Karur, India, kavyadharshinibg@gmail.com

⁴Department of CSE, M.Kumarasamy College of Engineering, Karur, India, slogesh1999@gmail.com

⁵Department of CSE, M.Kumarasamy College of Engineering, Karur, India, rmyasher1998@gmail.com

ABSTRACT

Hand gesture recognition provides an interaction between human and PCs. Its applications extend from therapeutic recovery to purchaser gadgets control (for example cell phone). To identify hand gestures, different methods are used. Signals a non-verbal type of correspondence gives the HCI interface. Ongoing vision-based hand motion acknowledgment is viewed as increasingly more possible for HCI with the assistance of most recent advances in the field of PC vision. This venture manages conversation of different procedures, techniques and calculations identified with the motion acknowledgment. The hand motion is the most simple and common method for correspondence. Hand motion acknowledgment has the different favorable circumstances of ready to speak with the Technology through fundamental communication via gestures. The motion will ready to diminish the utilization of most noticeable equipment gadgets which are utilized to control the exercises of the PC.

Key words: Human, Gesture Recognition, Computer, Interaction

1.INTRODUCTION

IoT plays a vital role in system administration and other related framework activities. The framework has two significant focal points and three stages. Each stage is capsuled to another. The edges of hand which is recognized as an extra layer, used in different applications[3-6]. Edge location is one of the most normally utilized tasks in picture examination, and there are likely more calculations in the writing for improving and identifying edges than some other single subject [8-12].

The explanation behind this is edges structure the framework of an article. An edge is the limit between an article and the foundation, and demonstrates the limit between covering objects. This implies if the edges in a picture can be recognized precisely, the entirety of the

items can be found and fundamental properties, for example, region, edge, and shape can be estimated [13-18].

2.LITERATURE SURVEY

[1] The investigation is devoted to the production of program and innovative automated applications that will empower significantly improve things in regards to language, especially inside the cases once the same correspondence is out there. Albeit a static hand signal might be any feasible stance of a human's hand, regularly exclusively a confined arrangement of well- characterized poses square measure contemplated to be utilized in the correspondence. The different distributions show that static hand signal acknowledgment remains field of dynamic examination, while a few of them endeavor to confront the previously notice disk to improve the exhibition and nature of existing advances.

[2] The use of signal acknowledgment framework continuously ought to give high precision and heartiness to the different mess foundations. This paper shows the advancement of vision-based static hand signal acknowledgment framework utilizing web camera continuously applications. The preprocessing stage comprises of light remuneration, division, filtering, handdistrict identification and picture resize. This work proposes a discrete wavelet change (DWT) and Fisher proportion (F-proportion) based element extraction system to characterize the hand motions in an uncontrolled domain. The exhibition of the proposed strategy is assessed on two standard open datasets and one indigenously created complex foundation dataset for acknowledgment of hand signals.

[4] The proposed calculation is autonomous of hand heading and doesn't utilize any markers or information gloves. This is generally completed by the technique for division for static pictures and by the strategy for following for dynamic pictures. For dynamic signals, the hand motion should be identified and followed. For hand

following, either the video is separated into outlines and each casing is prepared alone, or some following subtleties like shape or skin shading utilizing a few apparatuses.

[7] In this paper, new deep learning model is used to recognize the hand gestures using Convolutional Neural Network (CNN) The disadvantages is that it focuses only on static data images. Using another algorithm namely CTC and FMCW methods we can recognize the dynamic inputs.

[5] This paper shows a computationally efficient technique for activity acknowledgment from profundity video arrangements.

[19-20] It utilizes the purported profundity movement maps (DMMs) from three projection sees (front, side and top) to catch movement signs and sees nearby paired examples (LBPs) to increase a minimized component portrayal. The trial results on two standard datasets exhibited enhancements over the acknowledgment exhibitions of the current technique

3.PROPOSED SYSTEM

This paper shows a computationally efficient technique for activity acknowledgment from profundity video arrangements. It utilizes the purported profundity movement maps (DMMs) from three projection sees (front, side and top) to catch movement signs and uses nearby paired examples (LBPs) to increase a minimized component portrayal. The trial results on two standard datasets exhibited enhancements over the acknowledgment exhibitions of the current techniques.

3.1 Cascade Classifier

The cascade classifier consists of many stages, where each stage contains different methods and specific periods by recognizing the structures of images used. Each period of the classifier names the specific region in the window and recognizes both positive and negative labels. If it shows positive results, it denotes that the image is recognized and negative shows that images not found.

4.METHODOLOGY

The methodology of a system uses Region of interest method that includes identifying regions of the object appropriately




Figure 1: Methodology for hand recognition

Right now, can utilize either equipment or programming like camera, sensors for perceiving inputs. Utilizing foundation and forefront subtraction, we can recognize the articles. HAAR course calculation perceives the stationary foundation with the goal that our framework will have littler quest district for following the application. By utilizing ROI, tallying the pixels of pictures and characterize them as per profound learning strategies.

5.EXPERIMENTAL RESULTS

5.1 Experimental problem

The problem is gestures are only recognized by certain amount of people feed in the system.



Figure 2 :Recognition using gloves

5.2 Experimental Results

This system overcomes the above problem by recognizing the dynamic number of inputs.



Figure 3: Recognition of finger count using ROI




Figure 4: Different types of gestures




Figure 5: Classification using Deep Learning

6. CONCLUSION

In past examinations, they favor equipment control to recognize the hands. Hand division become complex of different foundations Segmentation precision is less close by following. Presently, introduced a technique to perceive the obscure information motions by utilizing hand following and extraction strategy. Apply this framework to perceive the single signal. In the investigations, we expect stationary foundation with the goal that our framework will have littler quest locale for following the application

REFERENCES

1. Hua Li, *Member IEEE*, Lifan Wu, Huan Wang, Cheng Han, Wei Quan and Jianping Zhao “**Hand gesture recognition enhancement based on spatial fuzzy matching in Leap Motion**” IEEE2019
2. Y. Song, J. Tang, F. Liu, and S. Yan, “**Body surface context: A new robust feature for action recognition from depth videos,**” *IEEE Trans-actions on Circuitsan Systems for Video Technology*, vol. 24, no. 6, pp. 952–964, 2014
<https://doi.org/10.1109/TCSVT.2014.2302558>
3. M. Ye, Q. Zhang, L. Wang, J. Zhu, R. Yang, and J. Gall, “**A survey on human motion analysis from depth data,**” *Lecture Notes in Computer Science*, vol. 8200, pp. 149–187, 2013.
https://doi.org/10.1007/978-3-642-44964-2_8
4. Joko Sutopo, MohdKhanapi, AbdGhani, M.A. Burhanuddin, Zulhawati, “**Gesture Recognition of Dance using Chain Code and Hidden Markov Model**” vol.8, No.6, 2019
5. Sadman Shahriar Alam, AkibJayed Islam, NahidNasrin, KhandokerTanjimAhhammad “**Hand Gesture Detection Using Haar Classifier with Appropriate Skin Color, Kernal Sizing & Auto Thresholding**” IEEE2017
6. S. Thilagamani, N. Shanthi, “**Object Recognition Based on Image Segmentation and Clustering**”, *Journal of Computer Science*, Vol. 7, No.11, pp. 1741–1748, 2011.
<https://doi.org/10.3844/jcssp.2011.1741.1748>
7. R. Y. Wang and J. Popovic, “**Real-time hand tracking with a color glove,**” in *ACM SIGGRAPH*, 2009.
<https://doi.org/10.1145/1576246.1531369>
8. P. Buehler, M. Everingham, D. Huttenlocher, and A. Zisserman, “**Upper body detection and tracking in extended signing sequences,**” *International Journal of Computer Vision*, vol. 95, no. 2, pp. 180–197, 2011.
<https://doi.org/10.1007/s11263-011-0480-9>
9. X. Zhang, X. Chen, Y. Li, V. Lantz, K. Wang, and J. Yang, “**A frame-work for hand gesture recognition based on accelerometer and emgsensors,**” *IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans*, vol. 41, no. 6, pp. 1064–1076, 2011.
<https://doi.org/10.1109/TSMCA.2011.2116004>
10. S. D. Kelly, S. M. Manning, and S. Rodak, “**Gesture gives a hand to language and learning: Perspectives from cognitive neuroscience, developmental psychology and education,**” *Language and Linguistics Compass*, vol. 2, no. 4, pp. 569–588, 2008.
11. N. Deepa, P. Pandiaraja, “**Hybrid Context Aware Recommendation System for E-Health Care by merkle hash tree from cloud using evolutionary algorithm**”, *Journal of Soft Computing Springer*, Volume 24, Issue 10, pp 7149–7161.
<https://doi.org/10.1007/s00500-019-04322-7>
12. P. RajeshKanna, & P. Pandiaraja 2019, “**An Efficient Sentiment Analysis Approach for Product Review using Turney Algorithm,**” *Journal of Procedia Computer*

Science , Elsevier ,Vol 165 ,Issue 2019, Pages 356-362.

<https://doi.org/10.1016/j.procs.2020.01.038>

13. P. Santhi, S.Thilagamani, **A Survey on Audit Free Cloud Storage via Deniable Attribute Based Encryption**, IRA-International Journal of Technology & Engineering, Vol.5,No.1,PP.1-5,2016.

<https://doi.org/10.21013/jte.v5.n1.p1>

14.P.Pandiaraja,P.Viajayakumar,V.Vijayakumar,R.Sesha dhri,"**Computation efficiency Attribute based broadcast group key management for secure document access in public cloud**" ,Journal of information Science and Engineering,Vol.33,No3,PP 695-712.

15.P.Santhi,G. Mahalakshmi, ,**Classification of magnetic resonance images using eight directions gray level co-occurrence matrix (8DGLCM) based feature extraction**, International journal of engineering and advanced technology, volume 8,No.4,pp.839-846,2019.

16. K Sumathi & P Pandiaraja , **Dynamic alternate buffer switching and congestion control in wireless multimedia sensor networks** , Journal of Peer-to-Peer Networking and Applications , Springer,2019.

17. Ahmad al-Qerem,ArwaAlahmad , **Human Body Poses Recognition Using Neural Networks with Data Augmentation**, International Journal of Advanced Trends in Computer Science and Engineering, Vol 8,Issue 5,September - October 2019, pp 2117 – 2120.

<https://doi.org/10.30534/ijatcse/2019/40852019>

18. Pandiaraja, P., Deepa, N. **A Novel Data Privacy-Preserving Protocol for Multi-data Users by using genetic algorithm** , Journal Soft Computing Volume 23,Issue No 18,pp 8539–8553 .

<https://doi.org/10.1007/s00500-019-04239-1>

19. HishamMobideen, SattamAllahawiah, Khaled Mohammad Alomari , **The Impact of Human Resources Information Systems on Human Resources Selection and Recruitment Strategy: An applied study on Arab Potash Company in the Hashemite Kingdom of Jordan**, International Journal of Advanced Trends in Computer Science and Engineering, Vol 8,Issue 5,September - October 2019, pp 2475- 2484.

<https://doi.org/10.30534/ijatcse/2019/93852019>

20. Deepa, N., Pandiaraja, P. , **E health care data privacy preserving efficient file retrieval from the cloud service provider using attribute based file encryption**, Journal of Ambient Intelligence and Humanized Computing (2020).

<https://doi.org/10.1007/s12652-020-01911-5>.